

PRODUCT DATA

MATRON 4 Type 3668

Indoor noise logging kit

MATRON 4 Type 3668 is the fourth generation of kits for logging noise indoors, refined through years of experience. At its heart is Brüel & Kjær® Hand-held Analyzer Type 2250-L (2250 Light) with Class 1 measurement and sound recording capabilities, and a preconfigured measurement template that simplifies operation.

MATRON 4 is typically used for domestic noise assessments in the United Kingdom according to the Environmental Protection Act 1990. The system is installed in an indoor environment, such as a home or an office, and left to continuously log noise data for up to 14 days. During this period, the noise levels are measured and stored, and the complainant makes sound recordings of disturbances by simply pressing a button.

MATRON 4 includes a 1 year licence for one analyzer for Measurement Partner Suite BZ-5503, the post-processing platform (PC software) for Brüel & Kjær Hand-held Analyzers and the systems built on them, covering all the post processing functionality you will need when working with measurement data. Measurement Partner Suite also includes data storage in MP Cloud which can be useful when sharing data between offices.



180093/1

Uses and Features

Uses

- General indoor noise logging tasks
- Domestic noise assessments

Features

- Simple, preconfigured, ready-to-use MATRON 4 measurement template
- Lockable case
- 2 Gb industrial quality SD card
- Power supply via mains (battery optional)
- Full analysis capability in Measurement Partner Suite
- Discreet transportation bag
- Available in three versions:
 - Type 3668-L-SC: The complete kit
 - Type 3668-L-S: The complete kit minus the sound calibrator
 - Type 3668-W: The upgrade kit

MATRON 4 Hardware

MATRON 4 is built around Brüel & Kjær® Hand-held Analyzer Type 2250-L. The analyzer is supplied without a battery and installed in a lockable hard-shell case. The case has two external connectors for the power supply and microphone, and an external button, which is used to manually trigger sound recordings on the analyzer while it is in the case. The case provides protection for the analyzer and prevents tampering when installed. The case also stores the stylus, microphone cover and microphone when the system is not in use.



Measurement Templates

The included analyzer comes with the simplified, preconfigured MATRON 4 measurement template which is sufficient for the majority of noise-complaint cases when accompanied by sound recordings of disturbances. It has broadband logging of the equivalent continuous level (L_{Aeq}) at one second intervals without frequency and statistics to keep the measurement project small.

If you are familiar with how to set up a measurement template, the analyzer also comes with two additional templates: Logging SLM and Logging 1/3 Octave. To perform frequency analysis on the data, you will need 1/1- and 1/3-octave Frequency Analysis Software BZ-7132, an optional software license (not included with Type 3668).



Upgrade your Analyzer to MATRON 4

MATRON 4 is only supplied with Type 2250-L. If you already own a Hand-held Analyzer Type 2250, 2270 or 2250-L, purchase the upgrade kit (MATRON 4 Type 3668-W) and install the free MATRON 4 firmware on your analyzer.

Use the Included Analyzer as a Stand-alone Analyzer

If you wish to use the included analyzer as a standard hand-held analyzer, you will need additional hardware, such as a battery.


The suggested hardware for performing standard environmental noise measurements are:

- QB-0061: Lithium-ion battery for hand-held analyzers
- KE-0441: Leather equipment cover for hand-held analyzers
- UA-1651: Tripod extension for hand-held analyzers
- UA-0237: Windscreen for 1/2" microphones

See Product Data [BP 2151](#) for information about hardware and software options for Type 2250-L.

Post-process with Measurement Partner Suite

MATRON 4 Types 3886-L-S and 3668-L-SC include a 1 year licence for Measurement Partner Suite. The licence is locked to the serial number of the included analyzer, which allows anyone who works with the instrument full access to Measurement Partner Suite.



About Measurement Partner Suite


Measurement Partner Suite is the post-processing software for Hand-held Analyzer Types 2250, 2270 and 2250-L and their systems, such as MATRON 4. The software has both free and licenced functionality.

Measurement Partner Suite enables effective analysis of the important parts of a logging profile, eliminating the need to search through large amounts of data in Microsoft® Excel®. You can export sound recordings (WAV format) to create digital media, which can be used as documentation.

Measurements will include frequency data if you have purchased Frequency Analysis Software BZ-7132. Using Measurement Partner Suite, spectra can be easily converted from third- to full-octaves manually in the measured spectrum window or automatically in the calculator.

MATRON 4 is based on the Hand-held Analyzer Type 2250 Light platform. See Product Data [BP 2151](#) for analyzer specifications.

Compliance with Standards

	<p>The CE marking is the manufacturer's declaration that the product meets the requirements of the applicable EU directives RCM mark indicates compliance with applicable ACMA technical standards – that is, for telecommunications, radio communications, EMC and EME China RoHS mark indicates compliance with administrative measures on the control of pollution caused by electronic information products according to the Ministry of Information Industries of the People's Republic of China WEEE mark indicates compliance with the EU WEEE Directive</p>
<p>Safety</p>	<p>EN/IEC 61010-1: Safety requirements for electrical equipment for measurement, control and laboratory use ANSI/UL 61010-1: Safety requirements for electrical equipment for measurement, control and laboratory use</p>
<p>EMC Emission</p>	<p>EN/IEC 61000-6-3: Generic emission standard for residential, commercial and light industrial environments EN/IEC 61000-6-4: Generic emission standard for industrial environments CISPR 32: Radio disturbance characteristics of information technology equipment. Class B Limits FCC Rules, Part 15: Complies with the limits for a Class B digital device This ISM device complies with Canadian ICES-001 (standard for interference-causing equipment)</p>
<p>EMC Immunity</p>	<p>EN/IEC 61000-6-1: Generic standards – Immunity for residential, commercial and light industrial environments EN/IEC 61000-6-2: Generic standards – Immunity for industrial environments EN/IEC 61326: Electrical equipment for measurement, control and laboratory use – EMC requirements Note: The above is only guaranteed using accessories listed in this document</p>

Ordering Information

MATRON 4 Kits

Type 3668-L-SC MATRON 4 Kit with sound calibrator

Type 3668-L-SC is the complete kit and includes the following:

- KE-0021: Bag
- KE-0022: Case
- Hand-held Analyzer Type 2250-L-D01 with:
 - BZ-7130: Sound Level Meter Software
 - BZ-7133: Logging Software
 - BZ-7226: Signal Recording Option
 - BZ-5298: Software installation media (DVD)
 - Type 4950: 1/2" Free-field Microphone (prepolarized, 8 Hz to 16 kHz)
 - ZC-0032: Microphone preamplifier (1/2") for Hand-held Analyzer
 - UA-1654: Stylus for Hand-held Analyzer, set of five
- Sound Calibrator Type 4231
- UL-1009: SD card (industrial quality, 2 Gb)
- ZG-0426: Power supply
- AN-0059: Mains cable (United Kingdom)
- DK-1776: Padlock
- UA-0750: Tripod, lightweight
- UA-0588: Tripod Adaptor, for 1/2" microphones
- UA-1236: Microphone cover
- AO-0697-D-030: Cable, microphone extension, 3 m (9.8 ft)
- AO-1494: Cable, USB
- BR-0003: Field Guide
- BZ-5503-012: Post-processing module (Measurement Partner Suite)

Type 3668-L-S MATRON 4 Kit without sound calibrator

Type 3668-L-S is the complete kit minus Sound Calibrator Type 4231

Type 3668-W MATRON 4 Upgrade Kit

Type 3668-W is for upgrading to MATRON 4 and includes the following:

- KE-0021: Bag
- KE-0022: Case
- UL-1009: SD card (industrial quality, 2 Gb)
- AN-0059: Mains cable (United Kingdom)
- DK-1776: Padlock
- UA-0750: Tripod, lightweight
- UA-0588: Tripod Adaptor, for 1/2" microphones
- UA-1236: Microphone cover
- AO-0697-D-030: Cable, microphone extension, 3 m (9.8 ft)
- BR-0003: Field Guide

Note: Firmware for Hand-held Analyzer Types 2250, 2270 and 2250-L is free of charge. Use the Measurement Partner Suite application to install the firmware for MATRON 4 on your analyzer.

Fig. 1 MATRON 4 Type 3668-L-SC



180096

Optional Products

HARDWARE

JP-0050 World Adaptor Set, four plug adaptors

Suggested accessories for using Type 2250-L-D01 as a standard analyzer:

- KE-0441: Leather equipment cover for hand-held analyzers
- QB-0061: Lithium-ion battery for hand-held analyzers
- UA-1651: Tripod extension for hand-held analyzers
- UA-0237: Windscreen, for 1/2" microphones, spherical

SOFTWARE MODULE

BZ-7132 1/1- and 1/3-octave Frequency Analysis

POST-PROCESSING MODULES (MEASUREMENT PARTNER SUITE)

BZ-5503-012 1 year subscription for one instrument
(included with Type 3668-L-S and Type 3668-L-SC)

BZ-5503-036 3 year subscription for one instrument

BZ-5503-060 5 year subscription for one instrument

BZ-5503-N36 3 year subscription for any instrument (dongle)

BZ-5503-N60 5 year subscription for any instrument (dongle)

Optional Services

SERVICE CONTRACTS

Four-year service contracts are available. Service contracts are custom products and can include calibration, warranty, and post-processing licencing to suit your needs.

Recommended Service Contract for MATRON 4

The recommended 4 year service contract for Type 3668-L-SC includes:

- Biennial (every other year) accredited calibration of Type 2250-L
- Annual accredited calibration of Type 4231
- Warranty coverage for four years
- Measurement Partner Suite licencing for four years

Note: MATRON 4 Type 3668 has a two-year warranty that is valid from the delivery of the product.

CALIBRATION

SLM-ADV-CAI Accredited initial calibration of sound level meter with microphone and preamplifier

SLM-ADV-CAF Accredited calibration of sound level meter with microphone and preamplifier

CALI-S-CAI Accredited initial calibration of sound level calibrator

CALI-S-CAF Accredited calibration of sound level calibrator

MAINTENANCE

3668-EW1 Extended Warranty for one year for MATRON 4 system including sound level meter with microphone and preamplifier